

# Notice of Allowability

Application No.

10/634,450

Examiner

(Nancy) Thanh-Nhan P. Nguyen

Applicant(s)

YAMAUCHI ET AL.

Art Unit

2871

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 4/27/2006.
2. ☒ The allowed claim(s) is/are 9,11-23,29 and 30.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### **EXAMINER'S AMENDMENT**

1. This communication is responsive to RCE dated 4/27/2006.
2. Upon the examination, the requirement for Restriction/Election has been withdrawn, and claims 12-14, which depend on claim 29, has been re-joined since the generic claim 29 is allowable. Accordingly, claims 9, 11-23, 29 and 30 are pending for the examination.
3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Since the title of the invention is not descriptive, a new title is required that is clearly indicative of the invention to which the claims are directed.

The title has been changed to: "A liquid crystal display device viewable from both sides with using incident light from only one of the sides, and using only one reflection-polarizing on one of the sides."

#### ***Allowable Subject Matter***

Claims 9, 11-23, 29 and 30 are allowed.

#### ***Reasons for Allowance***

Claims 9, 11-23, 29 and 30 are allowed since there is no prior art of record that teaches or suggests a liquid crystal display device viewable from both sides using incident light incident only one of the sides comprising a relationship of various

Art Unit: 2871

elements as claimed with the specific allowable subject matter cited in the following claim:

Claim 29:

- a polarizer disposed over a first side of the liquid crystal panel for polarizing incident light incident thereon
- only one reflection-polarizing plate which is disposed over a second side of the liquid crystal panel opposite the first side for receiving polarized incident light exiting the liquid crystal panel
- wherein incident light polarized by the polarizer and transmitted through the liquid crystal panel while undergoing a change in direction of polarization is reflected by the reflection-polarizing plate back through the liquid crystal panel and the polarizer to enable an observer from to view the display information from the first side of the liquid crystal panel
- wherein incident light polarized by the polarizer and transmitted through the liquid crystal panel without undergoing a change in direction of polarization is transmitted through the reflection-polarizing plate to enable an observer to view the display information from the second side of the liquid crystal panel

Claims 9, 11-23, 29 and 30 are allowed since they depend on the allowed claim 29.

**Conclusion**

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Akiyama (US 6,542,208) discloses a liquid crystal display (LCD) device viewable from both sides using two reflection-polarizing plates from both sides of the LCD device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Contact Information**


Any inquiry concerning this communication or earlier communications from the examiner should be directed to (Nancy) Thanh-Nhan P. Nguyen whose telephone number is 571-272-1673. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on 571-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

(Nancy) Thanh-Nhan P Nguyen  
Examiner  
Art Unit 2871

TN

  
ANDREW SCHECHTER  
PRIMARY EXAMINER